



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/560,324	09/12/2000	Kie Y. Ahn	M4065.0127/P127-A	2581

24998 7590 03/17/2003

DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP  
2101 L STREET NW  
WASHINGTON, DC 20037-1526

EXAMINER
----------

TOLEDO, FERNANDO L

ART UNIT	PAPER NUMBER
----------	--------------

2823

DATE MAILED: 03/17/2003

16

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/660,324

Applicant(s)

AHN ET AL.

Examiner

Fernando Toledo

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 19 December 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 88,92-95,97-121,123 and 124 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 88,92-95,97-121,123 and 124 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 September 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s) \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_ 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Claim Rejections - 35 USC § 103***

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 88, 92 – 95, 97 – 100, 105, 107 – 118 and 123 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stone (U. S. patent 5,770,476) in view of Jacobs et al. (U. S. patent 4,811,082) and Akram et al. (U. S. patent 6,529,207 B1).

In re claim 88, Stone discloses in the U. S. patent 5,770,476; figures 1 – 3 and related text, a process for forming an interposer layer element 100, including the steps of; providing an insulating layer 7; processing the insulating layer to produce at least one passive circuit element 17 on or within the insulating layer; bonding an integrated circuit chip 31 to the interposer layer 100 such that the integrated circuit chip is electrically connected to the passive circuit element (figure 2); forming a pattern on or within the insulating layer, the metallization pattern 21 connected with the passive circuit element 17 (figure 1).

Stone dose not show wherein the insulating layer is provided on at least one silicon substrate; wherein the passive circuit element is being separated from the silicon substrate by a portion of the insulating layer; wherein two or more of the individual solder ball leads use different types of solder having differing melting points, and a portion of the insulating layer having a thickness such that the passive circuit element is electrically shielded from the silicon substrate.

Jacobs in the U. S. patent 4,811,082; figures 1 – 4 and related text, discloses an interposer device (layers 9 and 10), wherein the interposer has a silicon substrate with an insulating layer at least on one side; wherein the passive circuit element is being separated from the silicon substrate by a portion of the insulating layer; and a portion of the insulating layer having a thickness such that the passive circuit element is electrically shielded from the silicon substrate (figure 2); since a silicon substrate so that there will be a matching of thermal expansion coefficients between the solder balls and the substrate (columns 5 and 10).

Therefore, It would have been obvious to one having ordinary skill in the art at the time the invention was made to have in the invention of Stone the interposer with a silicon substrate with an insulating layer at least on one side; wherein the passive circuit element is being separated from the silicon substrate by a portion of the insulating layer; and a portion of the insulating layer having a thickness such that the passive circuit element is electrically shielded from the silicon substrate, since as taught by Jacobs, since a silicon substrate so that there will be a matching of thermal expansion coefficients between the solder balls and the substrate.

Stone in view of Jacobs still does not show wherein two or more of the individual solder ball leads use differing types of solder having differing melting points.

Akram in the U. S. patent 6,529,027 B1; figures 1 – 11 and related text, discloses that solder balls can be made of different types of solder so as to have a lower melting point (column 9).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have solder balls with different types of solder having differing melting points in the invention of Stone in view of Jacobs, since, as taught by Akram, solder balls made with different solder material have a lower melting point.

In re claim 92, Stone teaches that the insulating layer is formed of an oxide (column 5).

In re claim 93, Stone substantially teaches the invention as claimed, but fails to explicitly teach that the oxide is  $\text{SiO}_2$ .

However, silicon dioxide is a notoriously well-known insulating layer that can be readily grown from a silicon substrate. Examiner respectfully submits that Applicant did not contest this assertion therefore, it is considered to be well known in the art.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to have silicon dioxide as the oxide layer in Stone's invention because it is readily grown and choosing a material for its disclosed intended purposes requires only ordinary skill in the art. Note that the specification contains no disclosure of either the critical nature of the claimed material being of silicon oxide or any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen material or upon another variable recited in a claim, the Applicant must show that the chosen material is critical. In re Woodruff, 919 F.2d 1575, 1578, 16 USPQ2d 1934, 1936 (Fed. Cir. 1990).

In re claim 94, Stone substantially teaches the invention as claimed, but fails to show that the insulating layer has a thickness within a range of three to five microns.

However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have the insulating layer of a thickness of three to five microns, since insulating layer thickness are well known processing variable and it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233. Also, note that the specification contains no disclosure of either the critical nature of the claimed thickness or any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen thickness or upon another variable recited in a claim, the Applicant must show that the chosen thickness are critical. *In re Woodruf*, 919 F.2d 1575, 1578, 16 USPQ2d 1934, 1936 (Fed. Cir. 1990).

In re claim 95, Stone substantially teaches wherein the insulating layer includes polyimides among other suitable materials in the invention as claimed but fails to teach that the insulating layer is formed of polyamide.

However, polyamides have been known in the art to be attractive materials to use as insulating materials because of their high temperature tolerance, they are free of pinholes and cracks, among other advantages. Examiner respectfully submits that Applicant did not contest this assertion, therefore, it is understood that this assertion is considered prior art.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to use a polyamide film as an insulating layer because it offers high temperature tolerance and are free of pinholes and cracks among other

advantages. Note also that the specification contains no disclosure of either the critical nature of the claimed material being of polyimide or any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen material or upon another variable recited in a claim, the Applicant must show that the chosen material is critical. In re Woodruff, 919 F.2d 1575, 1578, 16 USPQ2d 1934, 1936 (Fed. Cir. 1990). Also, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use a polyimide as an insulating material, since it has been held to be within the general skill of a worker in the art to select a known material on the base of its suitability, for its intended use involves only ordinary skill in the art. In re Leshin, 125 USPQ 416.

In re claim 97, Stone teaches wherein the step of processing the insulating layer further comprises the step of producing several passive circuit elements on or within the insulating layer (column 6).

In re claim 98, Stone teaches that the passive circuit element is a resistor element (column 6).

In re claim 99, Stone teaches that the resistor is a thin film resistor (column 6).

In re claim 100, Stone teaches that the passive circuit element includes a capacitor element (column 6).

In re claim 105, Stone teaches that the passive circuit element includes an inductor element (column 6).

In re claim 107, Stone substantially teaches the claimed invention, but fails to show fabricating the passive circuit device for use in RF communication systems.

Since, Stone does form passive electrical devices, therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to use Stone's invention in an RF communications system since it hold similar elements to that the Applicant is claiming.

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to form an RF communication system out of Stone's invention since it is well known in the art that FR communication system have the same elements as those on Stone's invention.

In re claim 108, Stone does not explicitly teach forming a circuitry to use in RF communication systems.

However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use Stone's invention for RF communication system since the invention is to be used for devices that uses interposers with at least one passive circuit element (column 1).

In re claims 109 and 110, Stone substantially discloses the claimed invention but fails to show wherein at least one passive device is for use in an amplifier (e.g. load or broad band).

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to use one of the passive devices in Stone's invention since it is well known in the art to use inductors as amplifiers.



In re claims 111 and 112, Stone substantially discloses the claimed invention but fails to show that wherein at least one passive circuit device is for use in an oscillator (e.g. control voltage oscillator).

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to use Stone's invention wherein at least one of the passive circuit device is used as an oscillator since it is well known that passive circuit device are used for that purpose.

In re claims 113 – 116, Stone discloses that the integrated circuit chip 31 is used in electronic devices.

Stone does not show that the electronic devices are analog circuitry, digital circuitry, microprocessor and memory chip.

However it is well known to someone having ordinary skill in art, that an electronic device comprises analog circuitry, digital circuitry, microprocessor, memory chip, etc. It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the electronic devices of Stone as analog circuitry, digital circuitry, microprocessor and memory chip since analog circuitry, digital circuitry, microprocessor and memory chip are well known in the art. The selection of a known electronic device on the basis of its suitability for the disclosed intended purposes requires only ordinary skill in the art.

In re claim 117, Stone discloses the step of forming a bonding layer, the bonding layer located in the area between the integrated circuit chip and the insulating layer (column 8).

In re claim 118, Stone discloses that the bonding agent is a conductive adhesive among other suitable material (column 8).

Stone does not show that is an epoxy.

However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to make the conductive adhesive out of epoxy since it has been well known in the art that conductive adhesives are conventionally made out of epoxies.

In re claim 123, Stone discloses providing at least one passive circuit element in each area of the insulating layer, dividing the substrate into areas and bonding at least one integrated circuit chip to each of the areas of the insulating layer to from respective chip carriers (column 1).

3. Claim 106 is rejected under 35 U.S.C. 103(a) as being unpatentable over Stone in view of Jacobs as applied to claims 88, 90 – 95, 97 – 100, 105, 107 – 118 and 123 above, and further in view of Yamazaki (U. S. patent 6,002,161).

In re claim 106, Stone does not explicitly show that the inductor element is a spiral inductor.

However, Yamazaki, in the U. S. patent 6,002,161; figures 1 – 15 and related text, teaches forming an inductor in a spiral conformation because the inductance properties of an inductor are directly related to the number of turns and hence it must be in a spiral conformation (column 1).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the inductor of Yamazaki in Stone's invention because the

practitioners of Stone can form the inductor with Yamazaki's teaching and as evidenced by Yamazaki the inductance properties of an inductor are directly related to the number of turns and hence it must be in a spiral conformation (column 1). The selection of a known inductor pattern on the basis of its suitability for its disclose intended purposes requires only ordinary skill in the art.

4. Claims 101 – 104 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stone and Jacobs as applied to claims 88, 90 – 95, 97 – 100 above, and further in view of Farooq et al. (U. S. patent 5,912,044).

In re claim 101, Stone in view of Jacobs does not teach that the capacitor is a thin film capacitor.

However, Farooq in the U. S. patent 5,912,044; figures 1 – 8 and related text, discloses a method of forming a thin film capacitor that are to be used typically in interposer layers because the signal propagation characteristics of interposer layers can be further enhanced by placing thin film capacitors (column 1).

Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to form a thin film capacitor as taught by Farooq as the capacitor taught by Stone because it will enable the practitioners of Stone to form the capacitor and by forming a thin film capacitor they will enhance the signal propagation of the device.

In re claim 102, Stone in view of Jacobs does not teach that the thin film capacitor includes a dielectric layer.

However, Farooq teaches that the thin film capacitor includes a dielectric layer 16 (column 3).

In re claim 103, Stone in view of Jacobs does not teach that the dielectric layer of the capacitor is an oxide.

However, Farooq teaches that the dielectric 16 can be made of oxides (column 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the dielectric film out of an oxide, since it has been held to be within the general skill of a worker in the art to select a known material on the base of its suitability, for its intended use involves only ordinary skill in the art. In re Leshin, 125 USPQ 416.

In re claim 104, Stone in view of Jacobs does not teach that the dielectric film can be formed of oxide-nitride-oxide films.

However, Farooq teaches that the dielectric 16 of the thin-film capacitor can be made of oxide-nitride-oxide films (column 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the dielectric film out of an oxide-nitride-oxide film, since it has been held to be within the general skill of a worker in the art to select a known material on the base of its suitability, for its intended use involves only ordinary skill in the art. In re Leshin, 125 USPQ 416.

5. Claims 119 – 121 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stone, Jacobs and Yamazaki as applied to claims 88, 90 – 95, 97 – 100 and 105 – 118 above, and further in view of Solberg (U. S. patent 6,121,676).

In re claim 119, Stone shows forming a package out of the interposer element and at least one integrated circuit.

Stone in view of Jacobs and Yamazaki does not teach encapsulating the interposer element and the integrated circuit and having conducting leads on an outer side of the package.

However, Solberg in the U. S. patent 6,121,676; figures 1 – 19 and related text discloses a method of encapsulating an interposer element with at least one integrated circuit (column 8), the package having conducting leads on an outer side of the package to connect to a circuit board.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to encapsulate the package of Stone in view of Jacobs and Yamazaki as taught by Solberg because the teachings of Solberg will enable the practitioners of Stone in view of Jacobs and Yamazaki to form the package as taught by Solberg and therefore realize the function of the device by connecting it to a circuit board.

In re claim 120, Stone in view of Jacobs and Yamazaki do not explicitly show providing conductive leads connecting the interposer element and at least one integrated circuit to the conductive package leads of the circuit package.

However, Solberg teaches forming conductive leads 22 to the package in order to connect the circuit package to a circuit board.

In re claim 121, Stone shows providing an insulating layer to both surfaces of the substrate (figure 1).

### ***Response to Arguments***

6. Applicant's arguments with respect to claim 88 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Objections***

7. Claim 124 objected to under 37 CFR 1.75 as being a substantial duplicate of claim 88. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fernando Toledo whose telephone number is 703-305-0567. The examiner can normally be reached on Mon-Fri 8am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri can be reached on 703-306-2794. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7382 for regular communications and 703-308-7382 for After Final communications.

Application/Control Number: 09/660,324  
Art Unit: 2823

Page 14

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Fernando Toledo  
Examiner  
Art Unit 2823

ft  
March 6, 2003



Olik Chaudhuri  
Supervisory Patent Examiner  
Technology Center 2800